

असाधारण EXTRAORDINARY

भाग I—सण्ड 1 PART I—Section 1

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 103]

नई विल्ली, मंगलवार, मई 8, 1990/वैशाख 18, 1912

THE PARTY OF THE FOR THE SALES OF A STATE OF

No. 103]

NEW DELHI, TUESDAY, MAY 8, 1990/VAISAKHA 18, 1912

Takkan takan 2 mangga pada mangga pangga na pamangga pangga pangga pangga pangga pangga pangga pangga pangga p

ार भाग में भिन्न पृष्ठ संख्या की जाती है जिससे कि यह अलग संस्कान के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

णि⊀य मंत्रालय

(धायात व्यापार नियंत्रण)

प्तापणापक सूचना सं. 11-ब्राई, टी.सी. (पी.एन.) 90-93

नई दिल्ली, 8 मई, 1990

विषय : ब्रायात-नियति नीति, 1990-93 (खण्ड-1)।

फा. सं. ब्राई.पी.सी. 415(4) 90-93 :--- न्नाणिज्य मंत्रालय की 30 मार्च, 1990 की मार्चेजिनिक सूचना सं. 1-आई.टी.सी. (पी.एन.) 90-93 के ब्रन्सर्गत प्रकाशित यथासंशोधित ब्रायात एवं निर्यात नीति 1990-93 (राण्ड-1) की मोर ध्यान दिलाया जाता है।

 उक्त नीति में निम्नलिक्ति संगोधन मृद्धियां नीचे निविष्ट उचित स्थानों पर सिए गए समझे जाएंगे।

ऋम	भागात-निर्मात	सन्दर्भ	संगोधन गुड़ियां
सं.	मीति		
	1990-93		
	(खण्ड- 1		
	कौ पृष्ठ सं.)		

	2 /		
1	2	3	4
(1)	37 .	गैरा-III उप पैरा (1)(क) अस्तिम बाक्य	इस उप पैरा के घंतिम बाक्य को संगोधित करके निम्न- लिखित अनुसार पढ़ा जाए:- "आयात केवल बम्बर्ध, कलकत्ता, मद्रास और विल्ली से किये जायेंगे।"
(2)	120	परिशिष्ट-1 भाग-ख प्रथिष्टिसं. 12	उप प्रविष्टि सं. (33) को ठीक करके निम्नसिखित भनुसार पढ़ा जाए: "प्राटोमेटिक एजिंगटेस्टिंगसो- टिंग मणीन या उनके को

ī	• •	3	4	1 2	J	ন
~ ~			कम्बीनेणन जो पित्रचर ट्पूब उद्योग के लिए हैं, उनकी छोड़कर"।	(10) 236	परिशिष्ट- 6 पूची- 8, भाग-1 प्रकिष्टिस . 786	उप प्रविष्टि सं. (55)(1) को सही करके निम्न प्रकार में पढ़ा जाएगा
(3)	120	परिकाष्ट-। भाग-ख प्रकितिहरमः, 12	उप प्रिथिति सं. (43) को ठीक करके निम्निलिखित अनुसार पढ़ा जाएगा: ''श्राटोमेटियः वैश्विंग का प्रसेम- वली या टेप रैपिस वा			'(55) सिलकान ट्रोसिस्टर्स व्यक्तिगटन ट्रोसिस्टर-ट्रोसिग्टर मोज्ज्स, भिन्नसिखिस प्रकार के ट्रोसिन्टर ट्योड मोज्ज्स :
			वणा या ट्रंप रायग या इपोक्स, सीलिंग या टेस्टिंग या मार्किंग या प्रिटिंग या टेपिंग मणीन इक्थिपमेन्ट सिस्टम या उनका कोई कम्बीनेणन"।			(1) बी.ची. 115, बी. फ 393, 2एन-3501 की छोड़कर 100 बोल्टस के समकक्ष या उससे उच्च बोल्ट के इमिटर बोल्टेज (बी सी ई बी) के कलेक-
(4)	121	परिशिष्ट-। भाग -खा प्रविष्टिस _ः 12	उप प्रविष्टि सं. (67) को ठीक करके निस्नलिखित			टर महिता।
		शा पा ष्ट स , 1.2	मनुसार पक्त जाये: ''सर्टिफायर्स फार प्लोपी हा ^ई डिस्क कम्प्यूट्य टेप''	(11) 236	परिशिष् ट - 6 सूची-8 भाग- ।	उप प्रविष्टि सं. (1) के उपरान्त वर्णायी गई "(1) विद कट ग्राल किक्वेंसी
(5)	124	परिशिष्ट~ । भाग-ख प्रविष्टि सं , 12	उप प्रविष्टि सं. (217) को ठीक करके निम्निशिक्षन अनुसार पढ़ा जाए: "(यी एच एक २) यू एच एक या यी एच एकबीय एच		प्रविष्टि सं . 786 उप प्रविष्टि सं . 55(1)	रांच्या और शब्दों को (2) 500 एम एच जेड में अधिक कट आफ फिक्वेंसी (फुट) महिन" द्वारा प्रसि- स्थापित किया जाएगा।"
(6)	140	परिणिष्ट-? भाग-ख प्रविष्टिस <u>1</u> 63	एक भोड़ सेंटर)।" इस प्रविष्टि को ठीना करके निम्न- निखत अनुसार पढ़ा जाए "टी बी, रेडियो ट्रांसिस्टर सैट्स, ग्रीडियो केस्सेट्स रिकार्डर्स प्रेयसें, कैसकुसटर्स के प्ला- स्टिक केनिनेटल ग्रीर उनके पुर्जे।	(12) 289	परिणिष्ट- 6 मूची- 8 भाग- 1 प्रविद्धिसं. 818 उप प्रविद्धिसं. (1)	प्रविष्टि मं. 818 की उप- प्रविष्टि मं. (1) की संगोधित करके निम्न प्रकार से पढ़ा आएगा: "इलेक्ट्रिकल एक्किपमेंट भीर उनके कम्पोनेंट्स के विनि- माण हेतु सी धार जी भी सी धार एन जी भी
(7)	156	परिशाष्ट-3 भाग -क प्र वि टिस : 668	र्पप प्रविष्टि सं. (क) को ठीक करफे निम्नलिखिन			सिलिकान-इसेनिट्रकल स्टील शीट्स बाइड-नायस्स स्ट्रिप्स
		अविष्ट्सः ६०४	भनुसार पक्षा जाए: "(क) पोढेणियोमीटर्स, पी सी वी साउटिंग इन्सृलेटिक गापट कार्जम ट्रेक सहित. केस साइज 9 मि.सी व्यास चौकाई के स्थिच महित या रहित।	(13) 244	परिषिष्ट-6 सूची-10 प्रविष्टिसं, 7	उप प्रिंपिट सं. (1) को सही करके निम्न प्रकार से पढ़ा आएगा: "(किलोपोइज लुब्रिकेटिंग ग्री 0868 एस, 0868 जी. 0031 जी"।
(8)	217	परिशिष्ट- (ः भूषी-४ भग्ग- (यर्तमान प्रविध्य सं. 92 के बाद निम्नलिखित प्रविध्यां जोड़ी जाएंगी: "92-क.सैयूलोस "34-0236- सिटेंड-प्लेक्स 00-0"	(14) 245	परिशिष्ट-6 सूची-10 प्रविष्टि सं. 3।	उप प्रिविध्यि मं. (1) की स्थितिन पंक्ति में भाग "वी.एच.ई.सी. एण्ड एफ. क्लास के" शब्दों की निक्नोक्त द्वारा प्रिनिक्यापित
			पालकर "92-का.सेल्युलोम "34-0238 नाहदूट गीट 003"			किया जाएका : ''यी. एस. ई.सी एण्ड एफ. क्लास के''।
(9)	234	परिशाष्ट-६ सूची-8, भाग-1 प्रविष्टि सं 786	उप प्रविष्टि सं. (६)(४) (ग) को सही करके निम्भ प्रकार से पढ़ा जाएगा: "टेंटालम डिप्पड केपेसिटमैं"।	(15) 245	परिशिष्ट-6 सूची-10 प्रविष्टिसं 31	उप प्रविध्ति स. (3) के श्रम्त में दर्शायी गई 'हले- क्ट्रोलिटिर कैपीसिटर्स के- लिए क्ल.स ए और वाई

	3	3	1	l	3	3	4
	- .		के बेस सेल्फ एडहेसिब टेंग" ग्राह्मण्याकत के स्थान पर "(4) इनेक्ट्रोरिसेटिक कैपी- सिएटर्स के जिए क्लास ए ग्रार वाई के पालिएस्टर				ping or apoxy scaling or testing or marking or printing or taping muchine/equipment/system or any combination thereof."
			पालिएस्ट्रीतः ी सेस्सूलीम द्राहणसिटेदः पालिप्रोपनीन वेसंड भेल्फ एडहेसिव टेप्स [ा] प्रतिस्थापित किया जाए।	(4)	121	Appendix I Part B Entry No. 12	Sub-Entry No. (67) shall be corrected for Floppy/ Hard Disk 'Computer Tape."
_	 उपर्य ुक्त सं	·· ·· · गोधन लोकहित में कि		(5)	124	Appendix 1 Part B Entry No. 12	Sub-entry No. (217) shall be corrected to read as under:—
		নউন্ধ অসা. IINISTRY OF CO				•	"VHF or UHF or VHF- UHF Modulator."
		(Import Trade ((6)	140	Appendix 2 Part B Entry No. 163	This entry shall be corrected to read as under:—
•	Nev	v Delhi, the 8th 1					"Plastic Cabinets and Parts thereof of TV. Radi-/Transistor sets, Audio Cassette Recorders Players, Caledulators."
Impoi under	rt and Ex	sport Policy, 1990- istry of Commerce	93 (Volume I), published Public Notice No. 1-ITC b. 1990, as amended.	(7)	156	Appendix 3 Part A	Sub-entry No. (a) shall be corrected to read as
						Entry No. 668	under:
to har indica	vo been n ted below Page No. c	nade in the said p	orrections shall be deemed offey at appropriate places Amendment/Correction			Entry No. 666	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width."
to har indica	ve been neted below Page No. con the Import Export Polices (Volume 1990-93)	nade in the said p	Amendment/Correction	(8)	217	Appendix 6 J lst B Pert 1	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width." After the existing entry No. 92, the following new entries shall be ad-
to harindica Sl. P No. t	ve been n ted below Page No. c he Import Export Poli	nade in the sald p i- of Reference t & icy.	offey at appropriate places	(8)	217	Appendix 6	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width." After the existing entry No. 92, the following
to har indica Sl. P No. t E 1	ve been noted below Page No. che Import Export Poli 1990-93 (Vo	nade in the sald p i- of Reference t & icy, ol. 1) Paragraph III	Amendment Correction 4 The last sentence in this sub-para shall be amended to read as under:— "Imports should be made only at Bombay, Cal-			Appendix 6 I ist B Part I	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width," After the existing entry No. 92, the following new entries shall be added:— "92-A. Cellulose acetate flakes/powder34-0236-00-0" "92-B. Cellulose nitrate sheet34-0238-00-3"
(0 haindica Sl. F Ng. t E 1	ve been noted below Page No. of the Import Export Polices 1990-93 (Veta 2	nade in the sald p	Amendment Correction 4 The last sentence in this sub-para shall be amended to read as under:— "Imports should be made only at Bombay, Calcutta, Madras and Delhi"	(8)	237	Appendix 6 I lst B Part I Appendix 6 List 8 Part I	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width." After the existing entry No. 92, the following new entries shall be added:— "92-A. Cellulose acetate flakes/powder—34-0236-00-0" "92-B. Cellulose nitrate
to har indica Sl. P No. t E 1	ve been noted below Page No. che Import Export Poli 1990-93 (Vo	nade in the sald p i- of Reference t & icy, ol. 1) Paragraph III	Amendment/Correction 4 The last sentence in this sub-para shall be amended to read as under:— "Imports should be made only at Bombay, Calcutta, Madras and Delhi" Sub-entry No. (33) shall be corrected to read as under:—	(9)	234	Appendix 6 I lst B Pert I Appendix 6 List 8 Part I Entry No.786	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width," After the existing entry No. 92, the following new entries shall be added:— "92-A. Cellulose acctate flakes/powder—34-0236-00-0" "92-B. Cellulose nitrate sheet—34-0238-00-3" Sub-entry No. (6) (iv) (c) shall be corrected to read as under:— "Tantalum Dipped Capacitors."
(0 haindica Sl. F Ng. t E 1	ve been noted below Page No. of the Import Export Polices 1990-93 (Veta 2	nade in the said p Fragman Reference t & fey, ol. 1) Paragraph III Sub-para (1)(a) Appendix Part B	Amendment/Correction 4 The last sentence in this sub-para shall be amended to read as under:— "Imports should be made only at Bombay, Calcutta, Madras and Delhi" Sub-entry No. (33) shall be corrected to read as			Appendix 6 I lst B Part I Appendix 6 List 8 Part I	"(a) Potentiometers with PCB mounting insulated shaft carbon track with or without switch of case size 9mm diameter width," After the existing entry No. 92, the following new entries shall be added:— "92-A. Cellulose acetate flakes/powder34-0236-00-0" "92-B. Cellulose nitrate sheet34-0238-00-3" Sub-entry No. (6) (iv) (c) shall be corrected to read as under:— "Tantalum Dipped

1	2	3	Λ	I	27	3	4
	-12		(i) With collector to emitter voltage (Veco) equal to or greater than 100 volts except BD115, BF-393, 2N 3501."	(14)	245	Appendix 6 List 10 Entry No. 31	The words "of Class B.H.E.C.&F," appearing in the last line of Subentry No. (i) shall be substituted by "of Class B, H, E, C &F"
(11)	2,36	Appendix 6 List 8 Part f	"(i) with cut-off fregency"				
		Entry No. 786 Sub-catry No. 55 (i)	appearing after sub- entry No. (i), shall be substituted by "(ii) with out-off frequency (Ft.) above 500 MHZ."	(15)	245	Appendix 6 List 10 Entry 31	The expression base self adhesive tapes of Class A and Y for electrolytic capacitors", appearing at the end of
(12)	239	Appendix 6 List 8-Part I Entry No. 818 Sub-entry (i)	Sub-entry No. (i) of Entry No. 818 shall be amended to read as under: "CRGO/CRNGO/Silicon-Electrical Steel Sheets/wide-coils/strips for the manufacture of Electrical equipments and components thereo?"				sub-entry No. (iii), shall be substituted by "(iv) Polyester / Polystyrene/ Cellulose Triaccetate/ Polypropylene based self Adhesive tapes of Class A and Y for Electrolytic Capacitors."
(13)	14	Appendix 6 List10 Entry No.7	Sub ontry No. (i) shall be corrected to read as nader:	3. T	he above	corrections have	been made in - public interest
			"Kilopoise Lubricating grease 0868S, 0868G, 0031G."		TEJE		IA, Chief Controller of aparts and Exparts